



# Single-cell TCR sequencing

 Daniel T. Leung\*  Owen Jensen

Updated date: Apr 22, 2022

\*For correspondence: [daniel.leung@utah.edu](mailto:daniel.leung@utah.edu)









An abbreviated version of this protocol was published in Science Immunology in Jan 2022

A subset of follicular helper-like MAIT cells can provide B cell help and support antibody production in the mucosa

DOI: [10.1126/sciimmunol.abe8931](https://doi.org/10.1126/sciimmunol.abe8931)

## Related files

 Copy of scPCR primer list.xlsx	
 scPCR_protocol_for_MAIT_clonal_analysis.docx	
 VDJ_Analysis_and_configs_example_script.docx	

**How to cite:** (Readers should cite both the Bio-protocol preprint and the original research article where this protocol was used)

1. Leung, D. and Jensen, O. (2022). Single-cell TCR sequencing. Bio-protocol Preprint. [bio-protocol.org/prep1632](https://bio-protocol.org/prep1632).
2. Jensen, O., Trivedi, S., Meier, J. D., Fairfax, K. C., Hale, J. S. and Leung, D. T. (2022). A subset of follicular helper-like MAIT cells can provide B cell help and support antibody production in the mucosa. Science Immunology 7(67). DOI: [10.1126/sciimmunol.abe8931](https://doi.org/10.1126/sciimmunol.abe8931)

**Copyright:** Content may be subjected to copyright.